

CORRECTION

Open Access



# Correction to: Thermochromic phantoms and paint to characterize and model image-guided thermal ablation and ablation devices: a review

Ayele Negussie<sup>1\*</sup>, Robert Morhard<sup>1</sup>, Jocelyne Rivera<sup>1</sup>, Jose F. Delgado<sup>1,2</sup>, Sheng Xu<sup>1</sup> and Bradford J. Wood<sup>1,2</sup>

**Correction:** *Functional Composite Mater* 5, 1 (2024)

<https://doi.org/10.1186/s42252-023-00050-2>.

Following publication of the original article [1], the authors reported errors in references: reference 1 has been corrected from: SpotSee, What are permanent color change pigments & coatings? (2023), Available from: <https://spotsee.io/products/temperature/heatmark-indicator-inks-pigments-coatings/> to H.P. Kok et al., Heating technology for malignant tumors: A review. *Int J Hyperthermia* 37(1), 711–741 (2020), and replace the citation 1 on page 7 with the link: <https://spotsee.io/products/temperature/heatmark-indicator-inks-pigments-coatings/>; reference 19 has been corrected from: A. Eranki et al., Boiling histotripsy lesion characterization on a clinical magnetic resonance imaging-guided high intensity focused ultrasound system. *PloS one* 12(3), e0173867 (2017) to A. Eranki et al., Tissue-mimicking thermochromic phantom for characterization of HIFU devices and applications. *Int J Hyperthermia* 36(1), 517–528 (2019); reference 96 has been corrected from: A. Eranki et al., Tissue-mimicking

thermochromic phantom for characterization of HIFU devices and applications. *Int J Hyperthermia* 36(1), 517–528 (2019) to A. Eranki et al., Boiling histotripsy lesion characterization on a clinical magnetic resonance imaging-guided high intensity focused ultrasound system. *PloS one* 12(3), e0173867 (2017).

The original article [1] has been updated.

Published online: 06 March 2024

## References

1. A.H. Negussie, R. Morhard, J. Rivera et al., Thermochromic phantoms and paint to characterize and model image-guided thermal ablation and ablation devices: a review. *Funct. Compos. Mater.* 5, 1 (2024). <https://doi.org/10.1186/s42252-023-00050-2>

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1186/s42252-023-00050-2>.

\*Correspondence:

Ayele Negussie  
[negussiea@nih.gov](mailto:negussiea@nih.gov)

<sup>1</sup>Center for Interventional Oncology, National Institutes of Health,  
20892 Bethesda, MD, USA

<sup>2</sup>Fischell Department of Bioengineering, University of Maryland, College  
Park, MD, USA